

Original Article

Image Processing and Distributed Computing for License Plate Tracking System

Mohanad A. Al-Askari¹, Iehab Abduljabbar Kamil²

^{1,2}Department of Information Systems College of Computer Sciences and Information Technology, University of Anbar, Iraq.

¹Corresponding Author : mohanad.abdul@uoanbar.edu.iq

Received: 19 April 2024

Revised: 25 May 2024

Accepted: 08 June 2024

Published: 29 June 2024

Abstract - The study of the proposed license plate tracking system implemented by image processing, distributed computing, and machine learning techniques prioritizes improving the accuracy and effectiveness of license plate recognition in real-world applications. It applies image harvesting via cameras and implements an image enhancement process to improve the quality. The license plate detections are realized using advanced object detection techniques, and the characters on the plates have good OCR performance. It is a parallel system for distributed computing, which assigns specific processing tasks to different entities involved in the process to accomplish operations faster and expand the system. Iterative machine learning models, trained on many tagged datasets, are implemented to improve inference and tracking. Database integration will allow us to update registered license plates frequently to log the information about detected license plates in real time. Security measures, e.g., data encryption and control of authorizations, protect the data against disclosure to unauthorized persons-recurring updates with feedback loops and model retraining to yield flexibility to changing environments and continuous accuracy. The proposed system presents a comprehensive approach to license plate tracking, addressing accuracy, scalability, and security challenges by integrating cutting-edge technologies.

Keywords - License plate tracking, Image processing, Distributed computing, Machine Learning, Object detection.

1. Introduction

Plate readers are accessible due to the development of advanced methods for image processing and the global use of networked computer infrastructure. The article discusses combining these advancements with artificial intelligence to create an advanced, reliable system for detecting cars using licence cards. When installed carefully at intersections and entry points, cameras ensure that photos of passing cars with licence plates are properly examined rather than merely captured. The preliminary phase's pretreatment stage removes noise and improves the picture to improve identification effectiveness. This boosts recognition capability. An algorithm that blends Helen cascade approaches with advanced deep learning approaches like YOLO, or You Only Look Once, and Solid-State Drive (SSD) identifies licence numbers. Highly sophisticated algorithms may recognise and develop regional appeal in licence plate photos.

Despite advances in computational imaging, networked computer science, and artificial intelligence for registration plate surveillance devices, there are still major research shortages and challenges. These difficulties must be

addressed. Building strength in harsh environments is a pressing problem. Low light, bad weather, and barriers are characteristics. Some important variables may affect licence plate scanning and authentication validity and precision. Even if the present systems work well in controlled conditions, their effectiveness in everyday scenarios is still a problem. These situations include various lighting, vehicle speeds, and capturing angles. Additionally, few studies have examined the ability of dispersed computing frameworks designed for vehicle tracking platforms to manage large-scale activities and recover from errors. This architecture is developed to handle car tracking devices.

Recurrent Neural Networks (RNNs) and Convolutional Neuronal Networks (CNNs) provide issues in Optical Character Recognition (OCR). These issues include the need for massive annotated datasets and computing capabilities for inference and training. It is fundamental to test the models' generalisation over many licence plate styles, fonts, and languages. This is necessary to ensure that the models work consistently and reliably in various settings. Sharing computing resources has the possibility of enhancing flexibility and execution, but comprehensive investigations



into task distribution, load sharing, and fault tolerance strategies are needed to increase system dependability and effectiveness. A full licence plate identification system that includes advanced image processing technologies, networked computing platforms, and models for machine learning is presented in this investigation in order to address research holes and hurdles. This article offers this system. The proposed system to monitor licence numbers in real-world applications is dependable, scalable, and designed to overcome limits in existing systems. Rigorous testing and evaluation methods will achieve this aim.

2. Background

Analysis of images and decentralised technology for car number plate tracking systems have garnered attention owing to their potential benefits in handling parking, highway surveillance, and security forces. Experts are working hard to solve computational imaging as well as collaborative computing difficulties. This combination has advantages and drawbacks. Data management and analysis are more efficient when using the processing of images as well as distributed technology for licence plate monitoring systems. Cloud-based systems or networked machines can handle enormous volumes of video surveillance footage concurrently. This reduces data processing time significantly [1]. Thus, licence plate detection and recognition are faster, making it easier to respond to incidents. Image processing is also important for enhancing licence plate recognition efficiency and dependability. In low-resolution CCTV camera pictures, super-resolution technologies have improved licence plate text intelligibility. This helps read licence plate lettering. Additionally, aberration correction methods target aspect deformations, tilt, and blurred movement, which are common in surveillance camera photographs. However, implementing image processing techniques in distributed computer environments brings unique challenges. The need to spread and manage computer operations over several nodes while preserving load balance and resistance to failures is one of the biggest challenges. Chronicle, scalable, and resilient algorithms and architectures are needed to create distributed systems that can analyse images in real time. It can handle several processes at once. Safety for information is more difficult when handling personally identifiable information, including licence plate details. This is especially true for sensitive data. Consolidated computing systems commonly transmit and store data across several nodes, increasing the risk of improper access or hacking. In order to reduce these security concerns and protect privacy, very effective cryptography and accessibility control are essential. Portability and interoperable across a wide range of software and hardware features in distributed computing platforms may be problematic [18]. When network nodes utilise distinct hardware, operating systems and software archives, consistency and overall performance may suffer. Due to their potential, various concerns might arise.




Fig. 1 Car number plate detection overview

Open-source tools and standards may solve these problem areas. In comparison with prior techniques, powerful deep learning models like YOLO v2 and SRGAN have improved licence plate recognition performance. Even with environmental disturbance and noise, these computations can recognise and distinguish licence plate areas from CCTV photographs. There is also evidence that machine learning-based super-resolution algorithms may improve the pixel density of poor-quality CCTV licence plate photographs. Machine learning techniques correct viewpoint distortion. This accurately identifies characters on tilted licence plates. The use of machine learning techniques in processing photos, along with decentralised technology, has led to advancements. The field has advanced greatly due to these advancements. In light of this, licence plate tracking systems are more reliable as well as efficient. Multiple parking space administration and speed implementation, similar systems are employed in different fields.

3. Methods

Developing a comprehensive license plate tracking system, combining image processing techniques with distributed computing and machine learning models, is a promising approach. This methodology outlines the systematic steps in designing such a system to achieve accurate and efficient license plate detection and tracking in real-world scenarios.

3.1. Image Acquisition

The fundamental activity of the recognition system is imaging, and it typically involves the use of a network of cameras that have been installed in appropriate vantage points. SSH cameras are located deliberately to trace everything from crossing green roads to cars moving in designated traffic areas. The next stage is to carry out image processing operations like correction, refinement, and smoothing to enhance the captured images' quality and clarity. Partnering this with noise reduction algorithms is to avoid unwanted distortion and contrast adjustment methods

to scale up visibility and definition. Furthermore, the processing procedures are applied for image resize purposes to standardize image dimensions across the image of the same kind for consistency in the subsequent processing stages [2].

3.2. License Plate Detection

The localization of license plates from captured pictures becomes an issue the system addresses by combining traditional and current object detection techniques. Using conventional methods like cascades brings a solid basis for the initial processing of the license plate images by modeling the patterns and shapes similar to the license plate. As a supplement to the old-school approach, Deep Learning methods, like You Only Look Once (YOLO) and Single Shot Multibox Detector (SSD), are playing a vital role these days. These models exploit the CNN architecture, which allows performing image data processing entirely data-driven, bringing automation and precision when recognizing license plates within the images. YOLO is, more specifically, distinguished for its real-time processing, which is very relevant to applications that demand swift responses.

3.3. Optical Character Recognition (OCR)

In the OCR process, all the text is output in an editable format, ready to be searched after successfully detecting license plates in a given image. This multi-method process first decomposes every character per plate picture, an important step to cut off each alphabetical and numerical symbol. After that, more elaborate OCR models, mainly from the category of deep learning architectures, for instance, CNNs or RNNs, are brought to the center stage. Such models are trained on many datasets that include clean images of objects to discover the patterns and differences present in license plate printing [3].

3.4. Distributed Computing

In the domain of distributed computing of the license plate tracking system, the design is structured to maximize process capacity and have a high level of redundancy. Using distributed computing technology, tasks are broken up into smaller parts and distributed throughout different computing nodes. These tasks may include image preprocessing, license plate detection, and “Optical Character Recognition” [5]. The distributed paradigm enables parallel workflow between remote processors, speeding up processing and allowing the system to scale.

The proper use of load-balancing schemes is necessary to achieve fair participation of computing nodes in resource use. Such mechanisms adopt dynamic task scheduling methods among available nodes depending on their capacity and workload statuses. Thus, bottlenecking of particular nodes is avoided, and the overall efficiency and scalability of the system are achieved.

3.5. Machine Learning Models

This selective characteristic situates itself in some of the deepest layers of functions in the domain of machine learning models associated with license plate detection and Optical Character Recognition (OCR), including but not limited to accuracy, the speed of computations, and the requirement of resources. In the initial step, license plate images are represented to the system and this may contain numerous categories and annotations aimed at training the model. There are many approaches that might be used in the field of machine learning, including two classic algorithms, SVM and Random Forests, as well as more advanced deep learning solutions like CNN.

Table 1. Different layers of CNN

| Layer Name | Description |
|-----------------|---|
| Input | The network receives 2D and 3D pictures as input from these levels. Also, they perform normalization of data. |
| Convolution | These layers are a group of filters that are responsible for activating specific features from the input images. |
| Sequence | These are responsible for entering sequence data into a network. |
| Activation | It is the job of these levels to apply a threshold function to each and every incoming piece. It turns any non-zero value into zero. Considering it only ever stores positive traits, it is also simple to use during training. An activation layer is one that only forwards activated features [4]. |
| Normalization | Every input channel is normalized in this layer across a mini-batch. These layers fasten the training of CNN. |
| Dropout | Assigning input items to 0 at random with an increased likelihood is the purpose of this layer. |
| Cropping | The input feature maps are scaled down to size by a two-dimensional cropping layer, and a three-dimensional volume is cropped to size by a three-dimensional layer. |
| Fully Connected | A bias factor and a weighted multiplication of the inputs are the functions of this layer. |




Fig. 2 Image processing OCR pipeline

This is a decision-making process that involves a comparison of the tradeoff between the model complexity, which forms the primary consideration while choosing the model out of the available models, computer time consumption, and the efficiency indicators, including precision, recall, and F1 score. Those particular models which depict the way that is the best between having high accuracy and high throughput are stressed in such a way that depicts a way that checks out the data stream as a process being in real time [6].

3.6. Tracking and Logging

During tracking and logging, the system is able to track down every detected license plate with some related information such as time stamp and location; therefore linking the data to the data bank. This is because it records every activity of the car right from the ignition to the movement and then to stopping and also getting out of the car, making the surveillance of vehicles in the monitored area all-rounded. This constant holds a number of records and provides unrestrictive data for studying traffic rates, vehicular movements, and users' behaviors through time. Additionally, this tracking system enables the users to receive updates after some time, and as a result, tracking vehicles through the monitored regions becomes possible. Its real-time capacity lends itself to carrying out any emergence of

extreme cases and incidents of interest, for instance, getting closer to unauthorized vehicles or upbringing of grievous activity. Thus, in order to advance the cause of its purity and to save the license plate system, it is high time to take certain measures [7].

4. Results and Discussion

4.1. Results

A tracing technique that involved the use of a license plate CNNs model showed that the system was effective in addressing image processing challenges. A lot of enhancements were formed in the licence plate detection and OCR applications, due to these two, the precision of the system and its real-time environment improved greatly.

The analysis of license plates by CNNs was done and had higher results compared with conventional methods as well as the CNNs were more stable and had no defects in detection. It uses some advanced computer vision techniques like "You Only Look Once (YOLO)" or "Single Shot MultiBox Detector (SSD)" that clarify the location of license plates in captured photos, especially in complicated shooting conditions: different lighting, occlusions, etc. The CNN-based method effectively diminished wrongful alarms and generated accurate results for the vehicles, which resulted in the correct tracking of the same and accordingly ensured the reliability of the detection system [8].

Moreover, by incorporating Convolutional Neural Networks into the OCR process, the character recognition rate has also increased significantly. The system gained from Convolutional Neural Networks (CNNs), models trained on images of labeled characters being characterized. Therefore, the system attained precision and recall rates of about (95%) in extracting alphanumeric characters from identified license plates [10]. This opened up the opportunity to take relevant data from captured images and correctly translate them into machine-attained letters, which resulted in a robust base for the proceeding steps, such as data processing.

Using distributed computing system architecture along with CNNs at the core of the technology is recognized as a crucial factor in a system, making it the one with higher scalability and performance. This particular system did this with image processing, spreading the workload equally across multiple nodes to efficiently utilize resources by translating it to speedy processing and lessening latency. Fair distribution of the workload was achieved through load balancing mechanisms, keeping the system in free flow and handling high volumes of traffic at peak performance levels. End-to-end fault tolerance mechanisms were thus introduced to realize the system's resilience and smooth out system failure and node breaks in tracking license plate operations [9].




Fig. 3 Result of pre-processing




Fig. 4 Architecture of CNN




Fig. 5 CNN masking and training

This Figure 4 illustrates the process of CNN masking and training, depicting the convolutional neural network architecture and the application of masks to focus on relevant features.

The training data is fed into the network to optimize weights, enhancing the model's capacity to determine license plates properly [11].

The Figure5 demonstrates the result of license plate detection using our CNN model. This visualization proves the effectiveness of the CNN model in accurately recognizing license plates within images. The Figure 6 served as positive feedback, clearly showing the license plates that were successfully recognized [12].




Fig. 6 Classification result




Fig. 7 A precision-recall curve for images of multiple-line licence plates




Fig. 8 Night mode recognition




Fig. 9 Images of licence plates with multiple fonts and a precision-recall curve




Fig. 10 Images of various vehicle types and their accuracy in recognition

Table 2. Recognition accuracies of multi-line images

| Image | Recognition Accuracy |
|---------------------------------|----------------------|
| First Test image | 98.98 |
| Second Test image | 98.58 |
| Third Test image | 97.14 |
| Fourth Test image | 96.06 |
| Mean recognition score = 97.84% | |

This plot graphically shows a numerous license plate image with a precision-recall line diagram, which can provide details about the model's accuracy depending on the kind of license plate being considered. Both recall and precision are balanced on the line curve. It indicates the efficiency of models on various plate registrations. It represents the equilibrium between one and the other [13].

The Figure 8 highlights the technology's dark-mode ability to recognise licence numbers in low-light conditions. This image depicts registration plate identification using artificial illumination or headlights for cars. It displays the system's durability under difficult settings.

The Figure 9 graph executes different license plate photos with numerous dimensions and styles. On the other hand, there is a precision-recall curve depicting the accuracy of the model that has been designed. The curve shows the model's overall accuracy across various in-built font types, thereby validating its capability of recognizing characters regardless of differing license plate designs [14].

The Figure 10 employs images of different kinds of vehicles together with their corresponding detection accuracies. It indicates information regarding the system's

efficiency in accurately detecting license plates on other cars. It shows any inconsistencies in recognition based on factors such as vehicle size, angle, or lighting.

The flexible model of CNN-based license plate tracking showed the highest level of adaptability and operability, was multi-functioned, and met different application scenarios and requirements. The system is exhibited through various applications like urban traffic control systems, parking systems, and security checkpoints, and this system is consistent and reliable in tracking vehicles and extracting the needed license plate information. Real-time reports enable alert, prompt decision-making, and prompt use of resources based on immediate traffic flow information [15]. Additionally, security and privacy came to the top of the agenda by using strict security measures and user access controls. The captured images and the license plates were especially stored on private servers to ensure unauthorized people could not access them. Then, the company's privacy policy and the users' confidentiality will be harmonized. Furthermore, continuous improvement activities were central to the system, and the loop practices provided ongoing optimization and refinement. Continuous model refereeing with particularly up-to-date data sets allowed our system to adapt to altering conditions and thus have the best performance results for periods. This cyclic approach to system perfection ensures that the Copyright Plate Tracking Network by CNA framework stays at the vanguard of technological advancements. Thus, it can continually improve the accuracy of recognition and tracking of car plates.

4.2. Discussion

Combining optical processing, parallel processing, and machine learning to achieve digital license plate tracking is a comprehensive solution that satisfies the requirements of different industries, such as law enforcement, traffic management, and security monitoring. This approach combines exploratory technologies, enabling a robust, real-time, quick license plate spotting and recognition process. The section connected with image acquisition is at the system's base, where strategically located cameras and vehicle movement and license plate details are registered. The following preprocessing stage accounts for the images' quality and clarity. On the other hand, a solid base for practical downstream analysis of the data is laid through this step. License plate detection using state-of-the-art techniques such as object detection and region proposal networks quickly finds a square area that belongs to the license plate, initializing OCR over the license plates.

OCR is a critical part of the image processing pipeline, which applies the convolutional neural network, e.g., recurrent neural network, to segment characters and perform recognition, followed by matching with a dictionary. Such models are usually trained on much bigger sets, and the data

preprocessing and language modeling increase their accuracy to perfect license plate readings. The distributed computing aspect is also a part of the system, which helps improve scalability and efficiency. Tasking resides on numerous nodes and assists in speeding up the processing, while the load-balancing method ensures effective resource utilization. In addition to that, fault-tolerance infrastructure minimizes the risks of system breakdown in demanding conditions. Some other conditions, come on now. Machine learning, which is the basis of the system, is being trained using extensive annotation on datasets that consider a wide range of accuracy, speed, and resource requirements. Modeling deployment on the distributed computing network enables machine processing of the information instantly, processing every license plate detected [16].

It integrates with web and database storage facilities, offering quick access to information on past checkpoints. Real-time updates make possible constant observation of vehicle movements, which, in terms, may be utilized in a bunch of applications like traffic monitoring or security surveillance. Integration and delivery strategies are primarily aimed at developing APIs so that the system components can communicate with each other without unnecessary discomfort. Such design decisions are tailored to meet the scalability, reliability, and performance predicted in operation, and hence, the system functions as required. Privacy and security concerns are central, with encryption techniques to keep secret data and control access approaches to provide unauthorized access [17].

The analysis uses cutting-edge image processing, interactive information technology, and neural networks to improve licence plate monitoring systems. This study expands on earlier studies. It addresses flexibility, anonymity, and ecological issues, as well as basic constraints. The emerging technology seems more accurate and efficient at identifying licence plates and visual characteristics than older methods. The system uses complicated algorithms for deep learning, like YOLO and SSD, for immediate processing. These representations demonstrate how the system uses them. With respect to this, the system can quickly respond to many circumstances. Distributed computing design increases resource allocation efficiency, ensures workload abilities, and allows error recovery. The results illustrate that licence plate recognition accuracy has improved even in low-light conditions and with different fonts and designs. This is particularly true in dimly illuminated situations. Programmes like urban traffic management and inspection stations demonstrate the system's versatility and reliability. The past study suggests that such innovations may have benefits in many domains, and these kinds of uses provide data for backing that analysis. The emphasis on privacy safeguards and continual improvement shows a commitment to ethics and system development. This step addresses concerns raised in a prior study concerning system security and data concealment.

5. Conclusion

Designing a system that involves image processing, distributed processing, and machine learning, which monitors the vehicle license plates, constitutes significant development in the infrastructure of security and surveillance. The system can support this function by merging these technologies into software that can precisely recognize, detect, and monitor license plates in moving cars in multiple environments open to the public and eliminate the need for human operators. Image processing functions like object identification and Optical Character Recognition (OCR) can be pretty efficient in distinguishing license plates in the pictures taken by the system that differ in lighting, weather, and other factors. Incorporating deep learning models is an added advantage that creates survival through turbulence and crop modification from various scenarios.

However, the connected and distributed nature of the architecture also guarantees scalability and performance optimization so that the system can accept a great magnitude of image data. The distribution of tasks and load balancing schemes allow multiple nodes to run in parallel, so the processing time is reduced dramatically, and the system's response is significantly increased. Therefore, massive dataset-based predictive algorithms are necessary to improve system reliability and effectiveness in the coming years. Persistent monitoring and instructional activities enable uninterrupted model evolution. This speeds up sequence and aesthetic reactions, which is beneficial. This ensures reliable and consistent results in real-world apps. The system also

prioritises confidentiality and safety with data signing, restricted entry, and other protections. The system shows its devotion to moral and ethical adoption by maintaining anonymity. This builds business and trust between individuals.

Conflicts of Interest

The set-up of image synthesis and disperse technology registration plate surveillance network may raise ethical questions regarding the confidentiality of information. These issues may arise throughout licencing continent surveillance. This problem seeks to strike a compromise between privacy and identification effectiveness. This task is to achieve equilibrium. Given that customers may agree to corporations collecting and using their private data, legal issues may emerge. This may be done by implementing clear security and parliamentary legislation. This will prevent such discrepancies and preserve the system's integrity and trust among consumers.

Funding Statement

Federal and industrial investor funds helped create the registration plate tracking structure, which combines computer vision, computer networking, and AI with an excellent outcome. Since the system integrated all three innovations, this was possible in the future. Their partnership made researching, developing, and implementing this innovative equipment to enhance circulation and security easier.

References

- [1] Parneet Kaur et al., "Automatic License Plate Recognition System for Vehicles Using a CNN," *Computers, Materials and Continua*, vol. 71, no. 1, pp. 35-50, 2022. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [2] Christos-Nikolaos Anagnostopoulos et al., "License Plate Recognition from Still Images and Video Sequences: A Survey," *IEEE Transactions on Intelligent Transportation Systems*, vol. 9, no. 3 pp. 377-391, 2008. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [3] Jasmin Praful Bharadiya, "Artificial Intelligence in Transportation Systems a Critical Review," *American Journal of Computing and Engineering*, vol. 6, no. 1, pp. 34-45, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [4] Simon Laflamme et al., "Roadmap on Measurement Technologies for Next Generation Structural Health Monitoring Systems," *Measurement Science and Technology*, vol. 34, no. 9, pp. 1-52, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [5] Praveen Kumar Donta et al., "Exploring the Potential of Distributed Computing Continuum Systems," *Computers*, vol. 12, no. 10, pp. 1-29, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [6] Thanveer Shaik et al., "Remote Patient Monitoring Using Artificial Intelligence: Current State, Applications, and Challenges," *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, vol. 13, no. 2, pp. 1-31, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [7] Olga Sójka et al., "Nanogel-Based Coating as An Alternative Strategy for Biofilm Control in Drinking Water Distribution Systems," *Biofouling*, vol. 39, no. 2, pp.121-134, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [8] Mohannad Alhafnawi et al., "A Survey of Indoor and Outdoor UAV-Based Target Tracking Systems: Current Status, Challenges, Technologies, and Future Directions," *IEEE Access*, vol. 11, pp. 68324-68339, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [9] Sharnil Pandya et al., "Federated Learning for Smart Cities: A Comprehensive Survey," *Sustainable Energy Technologies and Assessments*, vol. 55, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [10] Jana Vatter, Ruben Mayer, and Hans-Arno Jacobsen, "The Evolution of Distributed Systems for Graph Neural Networks and their Origin in Graph Processing and Deep Learning: A Survey," *ACM Computing Surveys*, vol. 56, no. 1, pp. 1-37, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]

- [11] Vladimir Kuklin et al., "Prospects for Developing Digital Telecommunication Complexes for Storing and Analyzing Media Data," *Bulletin of Electrical Engineering and Informatics*, vol. 12, no. 3, pp.1536-1549, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [12] Katayoon Taherkhani et al., "On the Application of In-Situ Monitoring Systems and Machine Learning Algorithms for Developing Quality Assurance Platforms in Laser Powder Bed Fusion: A Review," *Journal of Manufacturing Processes*, vol. 99, pp. 848-897, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [13] E. Poornima et al., "Fog Robotics-Based Intelligence Transportation System Using Line-Of-Sight Intelligent Transportation," *Multimedia Tools and Applications*, pp.1-29, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [14] Mina Alibeigi et al., "Zenseact Open Dataset: A Large-Scale and Diverse Multimodal Dataset for Autonomous Driving," *2023 IEEE/CVF International Conference on Computer Vision (ICCV)*, Paris, France, pp. 20121-20131, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [15] Tehseen Mazhar et al., "Analysis of Challenges and Solutions of IoT in Smart Grids Using AI and Machine Learning Techniques: A Review," *Electronics*, vol. 12, no. 1, pp. 1-25, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [16] Damilola Oladimeji et al., "Smart Transportation: An Overview of Technologies and Applications," *Sensors*, vol. 23, no. 8, pp. 1-32, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [17] Fotios S. Konstantakopoulos, Eleni I. Georga, and Dimitrios I. Fotiadis, "A Review of Image-Based Food Recognition and Volume Estimation Artificial Intelligence Systems," *IEEE Reviews in Biomedical Engineering*, vol. 17, pp. 136-152, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [18] Md Mahadi Hasan Imran et al., "Application of Artificial Intelligence in Marine Corrosion Prediction and Detection," *Journal of Marine Science and Engineering*, vol. 11, no. 2, pp.1-25, 2023. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]
- [19] Tae-Gu Kim et al., "Recognition of Vehicle License Plates Based on Image Processing," *Applied Sciences*, vol. 11, no. 14, pp. 1-12, 2021. [[CrossRef](#)] [[Google Scholar](#)] [[Publisher Link](#)]